







RIDE THE CHANGE





Introducing a game-changer that shall revolutionize the world of motorcycling, the world's first CNG motorcycle, Bajaj Freedom.

Bajaj Freedom redefines how you travel, offering incredible savings by cutting operational costs by 50%, bringing small joys and big smiles to your everyday life. Experience unmatched comfort with the longest-in-class seat and mono-linked type suspension, making every ride a delight. Enjoy a seamless ride with features like a LED headlamp and digital speedometer with Bluetooth connectivity further elevating your ride. Bajaj Freedom isn't just a bike, it's a celebration of innovation and sustainability. It's time to Ride the Change.

Khivraj Bajaj

For Details Call 9500080040







2 kg CNG Cylinder -102 km/kg



2 L Petrol Tank -65 km/L



Robust Trellis Frame; Tested for Safety



Longest Quilted Seat



Mono-linked Type Suspension



Front Disc Brake



| LED | Headlamp



Switch on the go between petrol and CNG mode



| Fully Digital Speedometer with Bluetooth Connectivity



Bold Dual-toned Design







FREEDOM 125 NG04 DISC LED

PARAMETERS

Engine Capacity

Maximum Power

Maximum Torque

Seat Length -Total/Usable

Headlamp

Speedometer

Brake Front

Brake Rear

Tire Rear



PRICE - ₹ 1 09 997/-*

125cc

9.5 PS @ 8000 rpm

9.7 Nm @ 5000 rpm

785 mm/670 mm

LED

Inverted full LCD with connectivity

240 mm Disc

130 mm Drum - CBS

120/70-16 (TL)

FREEDOM 125 NG04 DRUM LED

PARAMETERS

Engine Capacity

Maximum Power

Maximum Torque

Seat Length -Total/Usable

Headlamp

Speedometer

Brake Front

Brake Rear

Tire Rear



PRICE - ₹ 1 00 000/-*

125cc

9.5 PS @ 8000 rpm

9.7 Nm @ 5000 rpm

785 mm/670 mm

LED

Small LCD without connectivity

130 mm Drum

130 mm Drum - CBS

120/70-16 (TL)





FREEDOM 125 NG04 DRUM

PARAMETERS

Engine Capacity

Maximum Power

Maximum Torque

Seat Length -Total/Usable

Headlamp

Speedometer

Brake Front

Brake Rear

Tire Rear



PRICE - ₹89 997/-*

125cc

9.5 PS @ 8000 rpm

9.7 Nm @ 5000 rpm

785 mm/670 mm

Bulb

Small LCD without connectivity

130 mm Drum

110 mm Drum - CBS

80/100-16 (TL)





BOOKINGS OPEN

